## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1056	726/22.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 10:36
\$2	79	713/174.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 10:36
S3	4366	((initial adj sequence adj number) OR ISN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 10:55
S4	573178	(data adj connection adj protocol) or TCP or (transmission adj control adj protocol) or IP or (internet ADJ proticl)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 10:57
S5	586695	(data adj connection adj protocol) or TCP or (transmission adj control adj protocol) or IP or (internet ADJ protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 10:57
S6	1862	S3 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 10:57
S7	91	S6 and (380 726 713). clas.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 10:58
S8	20	S3.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06

S9	6	("20030084175"   "20040133798"   "20040249948").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06
S10	166	((initial adj sequence adj number) OR ISN) with (generate or generation or generating or create or creating or creation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 11:19
S11	6477	monotonically adj increasing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 11:29
S12	22	S11 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 11:29
S13	16	(US-2001009025-\$ or US-20010042200-\$ or US-20010042200-\$ or US-20010052072-\$ or US-20030084175-\$ or US-2003018044-\$ or US-20040198620-\$ or US-20040111635-\$ or US-20060133277-\$), did. or (US-9586053-\$ or US-6892903-\$ or US-6850982-\$ or US-6805932-\$ or US-6850982-\$ or US-6209039-\$ or US-6850982-\$ or US-6405251-\$ or US-	US-PGPUB; USPAT; DEFWENT	OR .	OFF	2008/02/06
S14	0	S13 and (collision or collide)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 13:33
S15	4471	counter same (collision or collide)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/02/06 13:34

S16	737	counter same (collision or collide) same (prevent or ensure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06
S17	119	counter with (collision or collide) with (prevent or ensure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:38
S18	4366	(initial adj sequence adj number) OR ISN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 13:38
S19	2	S17 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:38
<b>S2</b> 0	2	S16 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:39
<b>S</b> 21	5	S15 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:39
S22	6	counter with (collision or collide) with (prevent or ensure) with connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:41
523	586695	(data adj connection adj protocol) or TCP or (transmission adj control adj protocol) or IP or (internet ADJ protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 13:42
S24	2	counter with (collision or collide) with (prevent or ensure) with \$23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:42

S25	2	counter with (collision or collide) with (prevent or ensure) same \$23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:43
S26	8	counter with (collision or collide) with (prevent or ensure) and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:44
S27	0	((monontically adj increasing) with counter) same (collision or collide) same S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:47
S28	0	((monontically adj increasing) with counter) same (collision or collide) and \$23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:47
S29	0	((monontically adj increasing) with counter) and (collision or collide) and \$23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:48
\$30	0	((monontically adj increasing) with counter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:48
S31	1	((monotonically adj increasing) with counter) same (collision or collide) same \$23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:48
S32	6	((monotonically adj increasing) with counter) and (collision or collide) and \$23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06

S33	189	((initial adj sequence adj number) OR ISN) with (generate or generation or generating or create or creating or creation or compute or comutation or computing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06
S34	191	((initial adj sequence adj number) OR ISN) with (generate or generation or generating or create or creating or creation or compute or computation or compute or computation or computing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:56
S35	166	((initial adj sequence adj number) OR ISN) with (generate or generation or generating or create or creating or creation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06
S36	25	S34 not S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:56
S37	1627	(creat\$3 or generat\$3 or comput\$3 or computation or calculat\$3 or determine) WITH ((initial adj sequence adj number) or ISR or ISN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:27
S38	587	S37 and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:30
<b>S</b> 39	313	S38 and counter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:30
S40	162	S39 and (collide or collision)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:33

S41	47	S40 NOT (Interrupt adj service adj routine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:46
S42	43	S41 not (integrated ADJ switch adj router)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:48
\$43	26	\$40 NOT (Interrupt adj (service or status) adj (routine or register))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:50
S44	7	(sequence and number and attack).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 17:46
S45	3594	(sequence and number).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 17:49
S46	1204	(sequence adj number).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 17:49
S47	46	(sequence adj number).ti. and (TCP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 17:51
S48	29	22FB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:24
S49	1	0x000022FB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:26

\$50	21	(US-2001009025-\$ or US-20010042200-\$ or US-20010042200-\$ or US-20010052072-\$ or US-20030084175-\$ or US-20040098620-\$ or US-20040098619-\$ or US-20040098619-\$ or US-20040111635-\$ or US-20050132277-\$ or US-20050132277-\$ or US-20040008681-\$ or US-20040008681-\$ or US-20040008631-\$ or US-2004000851-\$ or US-50040085-\$ or US-500503-\$ or US-50050089984-\$ ). did.	ius-Parue; Lus-Par; Defiwent	OR	ON	2008/02/07
S51	2	S50 and 32K	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:29
S52	451	counter with increment with connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:32
S53	0	counter with increment with connection with 32K	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:32
S54	145	counter with (increment or increase) with connection with value	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:35
S55	11	counter with (increment or increase) with connection with threshold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:54

S56	6	counter with (increment or increase) with (connection near3 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:55
S57	9	counter with (increment or increase) with (connection) with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 09:58
S59	34	(rate NEAR3 connection) with below with threshold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:10
<b>S</b> 60	58	(rate NEAR3 connection) same (below with threshold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:24
S61	22278	data adj transfer adj rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:31
S62	42	(data adj transfer adj rate) with ((Less adj than) or beneath or lower) with (specified or target or threshold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:34
S63	0	(data adj transfer adj rate) with ((Less adj than) or beneath or lower) with (specified or target or threshold) with disconnectoonnect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:39
S64	1	(data adj transfer adj rate) with ((Less adj than) or beneath or lower) with (specified or target or threshold) with disconnect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:39
S65	504	disconnect with (re adj connect)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:40

S66	2	disconnect with (re adj connect) with rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:41
S67	27	disconnect\$3 with (re adj connect\$3) with rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:41
S68	0	variable with increment with (16K or 32K)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:48
S69	11888	variable with increment	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:50
S70	4819	("16" adj "k")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:51
S71	1	variable with increment with (("16" adj "K") or ("32" adj "K"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:52
S72	1	variable with increment same (("16" adj "K") or ("32" adj "K"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07
S73	50	variable with increment and (("16" adj "K") or ("32" adj "K"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:53
S74	7	"25.6" adj "K"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:02

S75	1629	"256" adj "K"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07
S76	70	("256" adj "K") with connect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07
S77	1	("256" adj "K") with connect\$3 with rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07
S78	2	(("256" adj "K") or 256K) with connect\$3 with rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07
S79	2313	(reconnect\$3 or (re adj connect\$3)) with after with disconnect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 11:20
S80	91	(reconnect\$3 or (re adj connect\$3)) with after with disconnect\$3 with immediat \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07
S81	115	increment with (16K or ("16" adj "K") 0r 32K or ("32" adj "K") or "16000" or "32000")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 13:25
S82	18	(increment or increase) with (16K or ("16" adj "K") 0r 32K or ("32" adj "K") or "16000" or "32000") with (counter or timer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07
S83	14	(increment or increase) with (16K or ("16" adj "K") or 32K or ("32" adj "K") or "16000" or "32000") with (counter or timer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07

S84	826	counter with increase with threshold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 13:35
S85	20	counter with increase with threshold with (ms or millisecond)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 13:37
S86	20	counter with increase with threshold with ("ms" or millisecond)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 13:37
S87	792	counter with increase with ("ms" or millisecond)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 13:39
S88	151	counter with increase with ("ms" or millisecond) with (rate or speed)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 13:40
S89	62	TCP with spoof\$3 with attack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 14:09

## 2/11/2008 11:21:57 AM

C:\ Documents and Settings\ mmcnally\ My Documents\ EAST\ Workspaces\ 10779950.wsp